

SECTION A-A  
1" = 1'-0"

CIDH DESIGN TABLE

WALL HEIGHT, H	MAX SPACING, S	MAIN REINFORCEMENT
24-26	8'-0"	24-#10
22	8'-0"	24-#10
20	10'-0"	18-#10
18	10'-0"	18-#10
16	12'-0"	12-#10
12, 10	12'-0"	12-#10
8	14'-0"	10-#10
6	16'-0"	10-#10

P:\521 YBI Retaining Walls\06 CAD\Structure\Fig\Footing\_Sects\_2.dgn

REVISED BY	DATE REVISED

YERBA BUENA ISLAND  
SOUTHGATE / EASTSIDE RAMP AREA

RETAINING WALL NO. 2 / ABUT 1


PROJECT DESCRIPTION

CALCULATED/  
DESIGNED BY  
WS

CHECKED BY

SUPERVISOR  
RS

DATE  
03-30-16



REGISTERED CIVIL ENGINEER

PLANS SUBMITTAL DATE

PLANS APPROVAL DATE

MGE ENGINEERING, INC. SHALL NOT BE RESPONSIBLE FOR THE ACCURACY OR COMPLETENESS OF SCANNED COPIES OF THIS PLAN SHEET.

**MGE ENGINEERING, INC.**

7415 GREENHAVEN DRIVE, SUITE 100  
SACRAMENTO, CA 95831  
(916) 421-1000 (PHONE)  
(916) 421-1002 (FAX)  
www.mgeeng.com



USERNAME => Peter

CADD FILENAME => P:\521 YBI Retaining Walls\06 CAD\Structure\Fig\Footing\_Sects\_2.dgn

CONTRACT NO.

SHEET NAME	SHEET NO.	TOTAL SHEETS

BORDER LAST REVISED 9/9/2015

RELATIVE BORDER SCALE IS IN INCHES

0 1 2 3

LAST REVISION: 03-30-16

DATE PLOTTED => 3/30/2016

TIME PLOTTED => 8:57:13 AM